

UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6068- 4790825962-1
Page 1
Date of Issue 2023-06-19

Issued to ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD
88 JIANGLING RD
BINJIANG DISTRICT
HANGZHOU
ZHEJIANG 310051 CHINA

Manufacturer ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD
88 JIANGLING RD
BINJIANG DISTRICT
HANGZHOU
ZHEJIANG 310051 CHINA

Manufacturing site/location ZHEJIANG UNIVIEW SYSTEM TECHNOLOGY CO LTD
NO.1277 QINGFENG SOUTH ROAD(SOUTH),
TONGXIANG
JIAXING
ZHEJIANG 310000 CHINA
TDG TECHNOLOGY CO LTD
NO 1 YATAI RD
NANHU DISTRICT
JIAXING

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6068- 4790825962-1
Page 2
Date of Issue 2023-06-19

ZHEJIANG 314050 CHINA
TOP-TEK TECHNOLOGY(VIETNAM)CO., LTD.
No.5, Street 7, VSIP II , Hoa Phu Ward, TDM Town, Binh
Duong Province, Vietnam

Product Sample Description IP Camera

Designation IPC262ERa-xxxxxxxx-yyyyyyyy-zzz
IPC262EFW-xxxxxxxx-yyyyyyyy-zzz
IPC262SRa-xxxxxxxx-yyyyyyyy-zzz
IPC742SRa-xxxxxxxx-yyyyyyyy-zzz
IPC744SRa-xxxxxxxx-yyyyyyyy-zzz
IPC268ERa-xxxxxxxx-yyyyyyyy-zzz
IPC262EBRa-xxxxxxxx-yyyyyyyy-zzz
IPC264SA-xxxxxxxx-yyyyyyyy-zzz
IPC262EBR9-HDUPZ
IPC264EA-xxxxxxxx-yyyyyyyy-zzz
IPC268EA-xxxxxxxx-yyyyyyyy-zzz
HC121
HC121-NB
HC121mmmm-xxxxxxxx-yyyyyyyy-zzz
IPC262EB-xxxxxxxx-yyyyyyyy-zzz
IPC264SA-DZK

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6068- 4790825962-1
Page 3
Date of Issue 2023-06-19

IPC262EB-HDX10K-I0
IPC265EB-xxxxxxx-yyy-yyyy-zzzz
IPC265ERa-xxxxxxx-yyy-yyyy-zzz
IPC265EFW-xxxxxxx-yyy-yyyy-zzz
IPC265SRa-xxxxxxx-yyy-yyyy-zzz
IPC2322SB-xxxxxxx-yyy-yyyy-zzz
IPC2B12SS-xxxxxxx-yyy-yyyy-zzzz
IPC2B15SS-xxxxxxx-yyy-yyyy-zzzz
("m" can be 0-9,A-Z,a-z, @ or blank,denoting difference in interface, "x" can be 0-9,A-Z,a-z or blank,denoting difference in interface;"y" can be 0-9,A-Z,a-z or blank, denoting performance difference; "z"can be 0-9,A-Z,a-z or blank,denoting target regional; "a" can be 0-9, L, A or blank, denoting infrared level; "-" can be blank)

Ratings

(Optional)
+12Vdc, 1.5A or POE 48V, 0.7A or 24Vac,1.5A, 50/60Hz(for model: IPC262ERa-xxxxxxx-yyy-yyyy-zzz, IPC262EFW-xxxxxxx-yyy-yyyy-zzz, IPC262SRa-xxxxxxx-yyy-yyyy-zzz, IPC268ERa-xxxxxxx-yyy-yyyy-zzz, IPC262EBRa-xxxxxxx-yyy-yyyy-zzz, IPC262EBR9-HDUPZ)
+12Vdc, 2A or POE 48V, 0.6A(for model: IPC742SRa-xxxxxxx-yyy-yyyy-zzz, IPC744SRa-xxxxxxx-yyy-yyyy-zzz)

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6068- 4790825962-1
Page 4
Date of Issue 2023-06-19

+12Vdc, 2A or POE 48V, 0.7A or 24Vac, 1.5A, 50/60Hz(for Construction A of models: IPC264SA-xxxxxxx-yyyyyyy-zzz, IPC264EA-xxxxxxx-yyyyyyy-zzz, IPC268EA-xxxxxxx-yyyyyyy-zzz,HC121,HC121-NB, HC121mmmm-xxxxxxx-yyyyyyy-zzz)
+12Vdc, 1.5A or POE 48V, 0.5A or 24Vac, 50/60Hz, 1.5A(for Construction B of models: IPC262EB-xxxxxxx-yyyyyyy-zzz)
+12V,1.5A; POE 48V,0.5A(for Construction C of models: IPC264SA-DZK,IPC264SA-xxxxxxx-yyyyyyy-zzz,IPC262EB-HDX10K-I0,IPC262EB-xxxxxxx-yyyyyyy-zzz,HC121,HC121-NB, HC121mmmm-xxxxxxx-yyyyyyy-zzz)
+12Vdc, 2.0A or POE 48V, 0.5A(for model IPC265EB-xxxxxxx-yyyyyyy-zzzz, IPC265ERa-xxxxxxx-yyyyyyy-zzz, IPC265EFW-xxxxxxx-yyyyyyy-zzz, IPC265SRa-xxxxxxx-yyyyyyy-zzz, IPC2322SB-xxxxxxx-yyyyyyy-zzz)
+12Vdc, 1A or POE 48V, 0.25A(for model IPC2B12SS-xxxxxxx-yyyyyyy-zzzz , IPC2B15SS-xxxxxxx-yyyyyyy-zzzz)

Product Sample Tested and found in compliance with

EN 62368-1:2014+A11:2017

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6068- 4790825962-1
Page 5
Date of Issue 2023-06-19
Standard(s)
Test Report Nos. E359706-A6068-IT-7
Additional information N/A

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China

