

UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6206- 4790594846-1-01
Page 1
Date of Issue 2022-11-10

Issued to ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD
88 JIANGLING RD
BINJIANG DISTRICT
HANGZHOU
ZHEJIANG 310051 CHINA

Manufacturer ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD
88 JIANGLING RD
BINJIANG DISTRICT
HANGZHOU
ZHEJIANG 310051 CHINA

Manufacturing site/location ZHEJIANG UNIVIEW SYSTEM TECHNOLOGY CO LTD
NO.1277, QINGFENG SOUTH ROAD (SOUTH), TONGXIANG
ECONOMIC DEVELOPMENT ZONE
TONGXIANG CITY
JIAXING
ZHEJIANG 310000 CHINA

TDG TECHNOLOGY CO LTD
NO 1 YATAI RD
NANHU DISTRICT
JIAXING
ZHEJIANG 314050 CHINA

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6206- 4790594846-1-01
Page 2
Date of Issue 2022-11-10

DBG TECHNOLOGY (INDIA) PRIVATE LIMITED
PLOT NO. 2, SECTOR-8, IMT BAWAL
REWARI HARYANA 123501 INDIA

Product Sample Description IP Camera

Designation

IPC2121SRa-xxxxxxx-yyy-yyyy-zzzz
IPC2122SRa-xxxxxxx-yyy-yyyy-zzzz
IPC2125SRa-xxxxxxx-yyy-yyyy-zzzz
IPC2122SRa-xxxxxxxW-yyy-yyyy-zzzz
IPC2124SRa-xxxxxxx-yyy-yyyy-zzzz
IPC2124ERa-xxxxxxx-yyy-yyyy-zzzz
IPC2128SRa-xxxxxxx-yyy-yyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;
"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "a" can be
0-9, L or blank, denoting infrared level; "-" is optional)

IPC2122LRa-xxxxxxx-yyy-yyyy-zzzz
IPC2124LRa-xxxxxxx-yyy-yyyy-zzzz
IPC2125LRa-xxxxxxx-yyy-yyyy-zzzz
IPC2128LRa-xxxxxxx-yyy-yyyy-zzzz
IPC2124LRa-xxxxxxxW-yyy-yyyy-zzzz

("x" can be 0-9, A-Z,a-z or blank, denoting difference in interface;
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6206- 4790594846-1-01
Page 3
Date of Issue 2022-11-10

"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "a" can be 0-9, A or blank, denoting infrared level; "-" is optional)

IPC2122LRa-xxxxxxxW-yyyyyyy-zzzz
("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;"z" can be 0-9,A-Z,a-z or blank,denoting target regional; "a" can be 0-9, A or blank, denoting infrared level;"-" is optional)

IPC2122CRa-xxxxxxx-yyyyyyy-zzzz
("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;"z" can be 0-9,A-Z,a-z or blank,denoting target regional; "a" can be 0-9, A or blank, denoting infrared level;"-" is optional)

IPC2122LR3-F40-E,IPC2122CR3-F40-A,IPC2122LR3-F40-E-NB,IPC2122CR3-F40-A-NB

IPC2123LRa-xxxxxxx-yyyyyyy-zzzz
("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;"z" can be 0-9,A-Z,a-z or blank,denoting target regional; "a" can be 0-9, A or blank, denoting infrared level;"-" is optional)

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6206- 4790594846-1-01
Page 4
Date of Issue 2022-11-10

IPC2124SS-xxxxxxx-yyyyyyy-zzzz
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface; "y" can be 0-9,A-Z,a-z or blank, denoting performance difference; "z" can be 0-9, A-Z, a-z or blank, denoting target regional; "-" is optional)

IPC2122SS-xxxxxxx-yyyyyyy-zzzz
IPC2125SS-xxxxxxx-yyyyyyy-zzzz
IPC2122LB-xxxxxxx-yyyyyyy-zzzz
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface; "y" can be 0-9,A-Z,a-z or blank, denoting performance difference; "z" can be 0-9, A-Z, a-z or blank, denoting target regional; "-" is optional)

IPC2125SB-xxxxxxx-yyyyyyy-zzzz, IPC2128SS-xxxxxxx-yyyyyyy-zzzz, IPC2128SB-xxxxxxx-yyyyyyy-zzzz
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface; "y" can be 0-9,A-Z,a-z or blank, denoting performance difference; "z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

IPC2122SB-xxxxxxx-yyyyyyy-zzzz
IPC2124SB-xxxxxxx-yyyyyyy-zzzz

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6206- 4790594846-1-01
Page 5
Date of Issue 2022-11-10

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;
"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

IPC2124LE-xxxxxxxx-yyy-yyyy-zzzz
IPC2122LB-xxxxxxxx-yyy-yyyy-zzzz
IPC2125LE-xxxxxxxx-yyy-yyyy-zzzz
IPC2123LB-xxxxxxxx-yyy-yyyy-zzzz
IPC2124LB-xxxxxxxx-yyy-yyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;
"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;
"z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

IPC2122LE-xxxxxxxx-yyy-yyyy-zzzz
IPC2124LE-xxxxxxxx-yyy-yyyy-zzzz
IPC2125LE-xxxxxxxx-yyy-yyyy-zzzz
IPC2128LE-xxxxxxxx-yyy-yyyy-zzzz

("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y"
can be 0-9,A-Z,a-z or blank, denoting performance
difference;"z"can be 0-9,A-Z,a-z or blank,denoting target regional; "-
" is optional)

IPC2128SE-xxxxxxxx-yyy-yyyy-zzzz

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6206- 4790594846-1-01
Page 6
Date of Issue 2022-11-10

("x" can be 0-9,A-Z,a-z or blank, denoting difference in interface;"y" can be 0-9,A-Z,a-z or blank, denoting performance difference;"z"can be 0-9,A-Z,a-z or blank,denoting target regional; "-" is optional)

EC-B4F28M

IPC2128LB-xxxxxxxx-yyy-yyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface; "y" can be 0-9,A-Z,a-z or blank, denoting performance difference; "z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

IPC2105SB-xxxxxxxx-yyy-yyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface; "y" can be 0-9,A-Z,a-z or blank, denoting performance difference; "z" can be 0-9,A-Z,a-z or blank, denoting target regional; "-" is optional)

Ratings

(optional)+12Vdc, 1.0A or POE 48V, 0.25A(Except for model IPC2122SRa-xxxxxxxxW-yyy-yyyy-zzzz, IPC2122LR3-F40-E,IPC2122CR3-F40-A, IPC2122LR3-F40-E-NB,IPC2122CR3-F40-A-NB,IPC2124LRa-xxxxxxxxW-yyy-yyyy-zzzz and IPC2122LRa-xxxxxxxxW-yyy-yyyy-zzzz)

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China



UL TYPE EXAMINATION CERTIFICATE

Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6206- 4790594846-1-01
Page 7
Date of Issue 2022-11-10

(optional)+12Vdc, 1.0A for model IPC2122SRa-xxxxxxxW-
yyyyyyy-zzzz, IPC2122LR3-F40-E,IPC2122CR3-F40-A,
IPC2122LR3-F40-E-NB,IPC2122CR3-F40-A-NB, IPC2124LRa-
xxxxxxxW-yyyyyyy-zzzz,IPC2122LRa-xxxxxxxW-yyyyyyy-zzzz

**Product Sample Tested and
found in compliance with
Standard(s)** EN 62368-1:2014/A11:2017

Test Report Nos. E359706-A6206-IT-1

Additional information N/A

Jie Qian

Operation Leader

Jie Qian

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

UL-CCIC Company Ltd. Suzhou Branch

No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China

